

INSTRUCTION

MANUAL

**WESTAMP A6531 SERIES
REV.D**

This is a general manual describing a whole series of amplifiers and may be used in conjunction with drawings pertaining to various specific models.

CAUTION !

The maintenance procedure described herein should be attempted only by highly skilled technicians using proper test equipment. Read your warranty provisions before starting, to avoid voiding your warranty.

Westamp Inc.

9006 Fullbright Avenue
Chatsworth, California 91311

PHONE: (818) 709-5000 FAX: (818) 709-8395

WESTAMP

TABLE OF CONTENTS

	<u>PAGE</u>
Forward	1
Drive Specifications	1
Block Diagram Description	2
Block Diagram	2
Protective Features	3
Other Features	3 & 4
Installation Instructions	5
Installation Drawing	5
Fuse Data	5
Adjustments	6
Simplified PC Board Layout	6
Servo Compensation	7 & 8
Helpful Compensation Hints	8
Trouble Shooting Discussion	9
Trouble Shooting Table	10
Trouble Shooting Multi Axes	11
Circuit Board Layout	12 & 13
Drive Schematic	14 & 15
Application Notes	16 & 17
Warranty	18

FORWARD:

This manual is a general purpose manual, covering the theory and application of the A6531 Series of Pulse Width Modulated Servo Amplifiers.

This manual does not necessarily apply specifically to any individual amplifier. However, the information is presented in a general way so that it may be applied to a specific amplifier in conjunction with its associated drawings.

The A6531 Series of Pulse Width Modulated Amplifiers consists of a single chassis which contains the following:

1. A control amplifier board module which contains the control circuits, and the output transistors.
2. The chassis contains the bias power supply which is plus and minus 15 volts, the main output power supply, the terminal block with the input and output connections for the power section, protective fuses and a UL listed blower.

SPECIFICATIONS:	A6531-10C	- 10E
1. Peak Current	±25 A	±40 A
2. Peak Voltage (typ)	±100 VDC	±100 VDC
3. Continuous Current	±15 A	±20 A
4. Continuous Voltage (typ)	±92 VDC	±92 VDC
5. Horsepower Rating (cont)	1.85 HP	2.5 HP
6. Form Factor	1.001	1.01
7. Switching Freq. (constant)	16 KHz	2 KHz
8. Input Voltage	10 VAC to 70 VAC & (120 VAC RMS at 2 Amps) 50/60 Hz single phase	
9. Freq. Response	500 Hz Min.	
10. Dead Band	None	
11. Gain (Adjustable) (22 turn pots)		
Input 1 (Aux)	0 to 6000 A/V (min)	
Input 2 (Signal)	0 to 6000 A/V (min)	
Input 3 (Tach)	0 to 6000 A/V (min)	
12. Signal Input Impedance	20 K Min.	
13. Signal Input Voltage		
Typical	±10 Volts	
Max	±50 Volts	
14. Drift (Refer to Input)	10 μ V/°C	
15. Current Limit (22 turn pots)	Adjustable/Programmable	
16. Signal Balance (22 turn pots)	Adjustable	
17. Ambient Temp. (Operating)	0-50°C	
18. Auxiliary Inputs	Gain Reduction Limit switch overtravel Remote on off (electronic) Programmable current limit	
19. Auxiliary Outputs	Output current monitor (See Notes) ±15 VDC @ 50 MA	
20. System Compensation	Adjustable & built in	

- 21. PROTECTION**
- a) Shorts to ground either leg
 - b) Shorts across output
 - c) RMS overload (electronic)
 - d) Bias fault protection
 - e) Overvoltage indication
 - f) Overtemperature protection
 - g) Current limit
 - h) Input and bias power fuses

22. Cooling	Blower
23. Weight	7 lbs*
24. Mounting	Panel (Vert/ Horiz)
25. Power transformer	Separate. May be supplied by customer, if desired.
26. Options	Special compensation Regulator

* 1 axis chassis without transformer & inductor.

NOTES:

1. Max peak current is for 500 millise.
2. Frequency response is typical of the amplifiers with no compensation. System compensation in most applications usually reduce the response.
3. Consult the factory concerning applications requiring continuous regeneration.
4. 120 VAC is for blower & bias power.
5. Output voltage max is from 70 VAC RMS bus power.
6. Amplifiers provide a wide range of output voltages depending on input voltage.
7. if motor has 4 mhy (10E Model) or 1.3 mhy (10C Model) no external inductor is necessary.
8. Output current monitor is capable of driving a zero center 100 micro ampere meter.
9. If red light is on, this indicates trip of fault logic. Remove power - wait 10 seconds - reapply power. Amplifiers will restart if fault has cleared.

MODEL	NO. OF AXES	CHASSIS SIZE** (INCHES)		
		L	W	H
A6531	1	14 ³ / ₈	5	7
A6532	2	16	9 ¹ / ₄	7
A6533 or 4	3 or 4	16	13	7

** Includes power supply & (regulator)

BLOCK DIAGRAM DESCRIPTION:

The A6531 Series of D.C. Servo Amplifiers are transistorized pulse width modulated units. The following description and explanation of the block diagram of this model is presented, so that you may have a better understanding of the operation of this unit: See Fig No. 1


There are three inputs for this unit.

1. Auxiliary Input.
2. Signal Input.
3. Tachometer Input.

Each of the inputs has a potentiometer which is used to adjust the effective gain of that input. The three input signals are summed in the velocity control amplifier which also contains the necessary compensation for achieving servo stability. The output of the velocity control amplifier is directed to the input of the current error amplifier. There is also a current feedback input to the current error amplifier from the current sensor. The current error amplifier amplifies the difference between the current command and current feedback signals. The output of the current error amplifier is fed to the modulator where it is summed with the output from the triangle waveform generator. The modulator takes these two signals and converts them to a pulse width modulated output. The output of the modulator is then fed to the fault gate which permits the modulator output signal to proceed to the driver amplifier when there are no faults.

In the event of a fault (such as low bias voltage, or a short from either side of the output to ground, or a short across the output, or an overvoltage on the output bus) the fault gate closes and shuts the amplifier off. The output of the fault gate is connected to the driver amplifiers which drive the output bridge. The output of this bridge is connected directly to the motor.

A current sensing resistor is in series with the output of the bridge which senses the output current. The current sensor generates an output voltage proportional to the output bridge current. This voltage signal is then fed to the delayed current limit circuit and is also used as a feedback signal for the current error amplifier. In the event that the output current exceeds the rated R.M.S. current of the unit, the delayed current limit circuit reduces the output current to the safe operating level for this unit.



BLOCK DIAGRAM Fig No. 1

PROTECTIVE FEATURES:

The A6531 unit has the most advanced safety features available today in the marketplace.

These safety features help protect personnel, machinery and the amplifier from accidental damage.

A) Amplifier will shut off and turn on red fault light if:

- 1) Motor short of either side of armature to ground with or without use of external inductor.
- 2) Output of amplifier should be inadvertently short - - only before inductor, or if no external inductor is used.
- 3) If power supply voltage exceeds safe level of amplifier due to regeneration of motor.
- 4) Overheating of unit.

B) Amplifier will not shut off, but is protected for the following:

- 1) Output of amplifier shorted after external inductor.
- 2) Low input bus voltage down to 0 volts.
- 3) Low input bias voltage down to 75% of 120 VAC.
- 4) Excessive R.M.S. current under normal operation and oscillatory conditions. Amplifier will put out reduced power and return automatically to full power so as to keep unit within rating.

C) Amplifier will shut off with no light indication:

- 1) If bias power falls below 75% of 120 VAC.
- 2) If the sum of bias power is less than approximately 28 volts. The unit will remain off until the sum of the bias power \pm 15 Volts D.C. are within proper range.

NOTE: Under all conditions where unit shuts off with light indication, it is necessary to remove bias power, wait approximately 15 seconds, then re-apply power.

OTHER FEATURES: Fig No. 3

Connector J-1

- Pin 1 - Signal Input (Auxiliary)
- Pin 2 - Signal Input (Standard)
- Pin 3 - Signal Input (Tach)
- Pin 4 - Signal Common
- Pin 5 - Output current monitor 10V = 100% I PK capable of driving 5K or more load such as a meter with respect to common. Pin 4 or 9 can be used as return (common).
- Pin 6 & 7 - Limit Switch Overtravel - These circuits are used to prevent the amplifier from producing more than 12% of rated current when grounded to Pin No. 9 usually used in conjunction with machine limit switches.
- Pin 6 Clamps the negative output.
- Pin 7 Clamps the positive output.
- Outputs are with respect to signal commands.

- Pin 8 - Electronic shut down and trip indication -
 The bridge drive is disabled by grounding the interlock line, Pin 8. However, if a fault occurs, the line will fall from + 15 volts to 0 volts (50K ohm maximum external load).
 The point can be used both as an electronic shut down and trip indication, provided proper logic techniques are used.
- Pin 9 - Common for Pins 8, 7, and 8.
- Pin 10 - + 15 VDC bias power
 50 MA is available for external use.
- Pin 11 - Common-bias power
- Pin 12 - - 15 VDC bias power
 50 MA is available for external use.

NOTE: Pins 10, 11, 12 - - - If more than 50 MA is taken from these pins the bias power will sag and the amplifier may turn off. Reference Paragraphs B and C under Protective Features.

Connector J-2

Pin 1 and Pin 2 may be connected together to reduce gain around velocity control amplifier when jumper installed gain of amplifier becomes 0 to 8 A/V.
 Pin 1 and Pin 3 are used for an external programmable current limit by installing an appropriate resistor for the desired current.

Connector J-3

Pin 1 + 15 VDC bias power
 Pin 2 common bias power
 Pin 3 - 15 VDC bias power

Power Supply Regulator (Shunt Regulator)

During the slowing down or stopping of a DC motor, the motor regenerates. This energy is put back into the system. The system absorbs this in the form of pumping up the supply voltage capacitor.

If the supply voltage exceeds the set trip level of the over voltage sensor, the fault sensor trips the unit off and the red light comes on.

In order to keep the voltage on the capacitor within a safe level it may be necessary to install a regulator.

The regulator is protected against excessive dissipation by means of a fuse.


INSTALLATION:

Each amplifier in the A6531 Series comes with an individual installation drawing showing where to make the various connections for power input, signal input, tachometer input, fan and bias power input and output to the motor. While this manual may show in a general way how to make connections to amplifiers, it is imperative that the specific instructions applicable to your amplifier are followed. Always be certain to apply the correct input power voltage and frequency. The input power transformer for all the amplifiers in the A6531 Series are separately mounted. It is possible to use one power transformer for several amplifier units if that transformer is sized properly. These transformers may have dual voltage primaries and, in such cases, make certain that the jumpers are on the correct transformer terminals for your input AC power source. On the amplifier the motor output is taken from separate terminals mounted on TB-301.

CAUTION: DO NOT USE GROUNDED TEST EQUIPMENT ON THE OUTPUT CIRCUITS AND DO NOT CONNECT EITHER OF THE OUTPUTS TO GROUND.

The signal input is usually applied directly to Pin 2 of J-1 and the signal common is usually applied to Pin 4 of J-1. The tachometer signal is usually applied to Pin 3 of J-1 and the tachometer return is connected to Pin 4 of J-1. The auxiliary signal is applied to Pin 1 and the auxiliary signal return is applied to Pin 4 of J-1. Use shielded wires for signal and tachometer inputs to prevent stray pickup and noise being introduced into the amplifier. The amplifier may have a bandwidth anywhere from 500 Hz (no compensation) to a much lower frequency, depending upon the setting of the TC (time constant) potentiometer and the components in the servo compensation network. Figure 2 shows a typical installation drawing that could be used to test an amplifier-motor combination.

In many cases, a reactor is connected to series with the output of the amplifier and the motor. This reactor is required if the inductance of the motor is below recommended value - - See Note 7 on specification sheet. The amplifiers in this series require up to 2 amperes of 115 volts for the fan and power bias which are Terminals 1 and 2 of TB-301. In addition, the output voltage from the secondary of the transformer may be anywhere from 10 volt RMS to 72 volt RMS in accordance with the maximum output voltage required. The output of the secondary of the power transformer is connected to Terminals 5 and 6 of TB-301. Please be sure that all the connections are proper before applying power to the unit.



ADJUSTMENTS:

Figure 3 shows the location of various adjustments on the circuit board. These adjustments are as follows:

Aux Gain - Potentiometer R-2 adjusts the auxiliary gain in the event that this input is used. If this input is not used, the auxiliary potentiometer R-2 should be turned to the fully "cw" position.

Sig Gain - The signal gain potentiometer R-5 is used to set the signal gain of the system. Turning R-5 in a "cw" direction increases the signal gain.

Tach Gain - The tach gain should be adjusted to set the stability of the tachometer loop, and to adjust the amount of tach feedback in the closed loop system. R-12 is the tach potentiometer. Turning R-12 in a "cw" direction increases the tachometer gain.

Balance - Potentiometer R-23 is the balance control. It may be necessary to adjust the balance for zero output when zero input is applied. This should be done after the tach and signal gains have been adjusted.

TC - The TC (time constant) potentiometer is R-15. The TC potentiometer is used to help stabilize the closed loop system. "CW" rotation increases the bandwidth.

Cur Lim - The current limit potentiometer is R-28. If the current limit potentiometer is at the maximum "cw" position then the unit puts out its maximum rated peak current. If it is desired to decrease the peak output current of the amplifier, turn the Cur Lim potentiometer in a "cw" direction to reduce the peak output current.

The proper procedure to be followed in setting up this unit in your servo system will be explained in a

Short Form Set Up Procedure which follows:




FIG # 3

SERVO SYSTEM COMPENSATION:

It is possible to compensate a servo system empirically without any theoretical evaluation of the system, provided that the specifications are not too stringent. For most applications, the procedure as outlined in the Short Form "Set Up Procedure" will result in adequate servo performance. The A6531 Series of servo amplifiers were designed to operate with "state of the art" characteristics in modern performance oriented systems. Therefore, matching amplifier-motor-tachometer combinations are recommended. However, the A6531 Series amplifiers will provide good performance with many D.C. motor-tach combinations, accomplished by merely adjusting the TC and the tach gain potentiometers.

SHORT FORM SET UP PROCEDURE (All PWM Amplifiers)

1. Connect in accordance with proper Installation Drawing. NOTE: See Application Note in back of this manual.
2. Check input voltage and proper transformer connections.
3. Note: All adjustment pots are 22 turns nominal.
4. Before turning power on, adjust all pots as follows:
 - a. Current limit pot - ccw all the way out.
 - b. "TC" pot - mid-range 11 turns from either end.
 - c. Tach pot - turn fully "ccw" then turn "cw" 6 turns.
 - d. Signal gain pot - turn approximately mid-range, 11 turns from either end.
5. Apply power but do not apply an input signal.
6. To check phasing of the tachometer and motor: turn current limit pot cw very slowly. If motor starts to run away, remove power and correct phasing of the motor-tach combinations.
7. Turn power back on and repeat Item 6. (Do not consider drift) Turn current limit pot to desired current. Pot setting produces currents as shown in example.

Example:	2 turns cw	=	33% Peak Current
	4 turns cw	=	50% Peak Current
	8 turns cw	=	66% Peak Current
	12 turns cw	=	85% Peak Current
	16 turns cw	=	96% Peak Current
8. If motor rotates slowly or drifts, adjust signal balance pot either way until motor stops moving.
9. Still with no input signal, turn "TC" pot "cw" until motor starts to oscillate high frequency, then back off ccw until this oscillation stops.
10. IMPORTANT-IF TC IS FULLY CCW & SYSTEM IS STILL OSCILLATING AT HIGH FREQ, SEE NOTES ON PAGE 8.
11. Apply a small signal and observe motor shaft.
12. Increase or decrease tach gain pot for desired results.
 - A) Increasing tach (turn pot cw) provides quicker settling time (higher bandwidth).
 - B) Decrease tach (turn pot ccw) provides slower settling time (lower bandwidth).
- Note:
Settling time is not to be confused with accel or decel time but is the time just before stopping.
13. After you are satisfied with tach response do not change the tach pot anymore.
14. If motor drifts, it may be necessary to re-adjust signal balance pot.
15. Run the motor at some higher speed and watch and listen to it. If it runs smoothly, the system is OK. A rough sound means either TC is still too far cw or tach is too far cw.
16. Set the appropriate speed of the system by turning signal gain pot. CW will make system go faster for same voltage into unit.
17. No further adjustments are necessary. (STOP)

MORE DETAILED SET UP PROCEDURE

If your system requires more accurate tach adjustment.

- 1) Go thru Steps 1 - 10.
- 2) Then apply a small signal until motor rotates and watch tach signal on an oscilloscope.
Note: Refer to Helpful Hints section.
- 3) If tach loop is overdamped, turn tach pot cw until one overshoot appears. The system is now set up for maximum bandwidth in tach loop.
- 4) If you don't want an overshoot in your tach loop, turn tach pot ccw until the overshoot disappears.
Note: One overshoot in tach loop does not necessarily mean the position loop will overshoot.
- 5) IF THE SYSTEM IS NOT PERFORMING PROPERLY YET AND IS MECHANICALLY SOUND, SEE NOTES ON PAGE 8.
- 6) Also, if motor drifts, it may be necessary to re-adjust signal balance pot until motor stops.
- 7) After you have made the above adjustments, you will have to re-calibrate signal gain pot to obtain proper output voltage to input signal.
- 8) All other adjustments are factory set and do not require any further adjusting.



CAUTION: MAKE SURE POWER IS OFF WHEN SOLDERING ON CIRCUIT BOARDS.

NOTES:

- 1) Check system for backlash, wind up lost motion, misalignment, bad coupling or any other mechanical problems.
AFTER YOU MAKE ANY OF THE CHANGES BELOW, REPEAT SET UP PROCEDURE - START WITH STEP 4 on Page 7.
- 2) High frequency oscillation even though TC pot fully ccw (high freq. oscillation probably motor resonance). Increase C7 to approx .033 mfd & add C3 = 2 mfd and C5 = .022 mfd.
- 3) If system requires more DC gain then increase C6 to approximately .1 mfd and decrease R11 to approximately 2K. You might have to increase C7 to approximately .033 mfd - Reference Note 2 above.
- 4) If the system is highly inertial, or a highly inertial motor is used, it may be necessary to change C6 and R11 - Reference Note 3 above.

HELPFUL HINTS:

1. Tachometer should be observed on an oscilloscope where sweep speed is set at .1 seconds/centimeter and adjust the vertical attenuator to provide a convenient displacement in response to the signal input.
2. Small step input commands may be provided with a DC simulator (battery box) while observing the tach response on the oscilloscope.
3. Typical pictures you will see on oscilloscope of tach profiles.



Tach Pictures

TROUBLE SHOOTING AIDS: Ref. Fig No. 3 and Installation Drawing Fig No. 2

In the event that the unit should fail to operate, it is advisable to follow the following procedure:

- 1) Examine the unit visually for loose connections, broken wires, and damaged components.
- 2) Look and see if fault indicator red light is on. Read over Protective Features & Other Features sections.

Then do some checking to find out reason for trip indication. Don't merely turn power off - wait 15 seconds and re-apply power. There was some reason for fault indicator to be on.

OTHER TYPICAL REASONS:

- 1) Shorts to ground may occur.
 - A) Commutators arcing to the frame of a motor during high speed reversals.
 - B) Motor armatures shorting to case.
 - C) Leads to motor becoming pinched and frayed in the wiring trough and touching ground.
 - D) Faulty wiring of connections.
 - E) Eventually, during the running of any DC motor, brush dust can build up in a motor causing an electrical path from the brushes to the motor case.
- 2) Check shunt regulator fuse
 - A) Excessive regeneration time. (Customer may have changed duty cycle).
 - B) Blown power transistor (s) in shunt regulator. (Discussed in Other Features section)
- 3) Check the wiring to the motor tachometer.
- 4) Check the incoming bias voltage, as well as the main buss power voltage coming from the power transformer.
- 5) Check input power fuse F-302 and control power fuse F-301.
- 6) Connect a DC volt meter between Pin 2 of J-3 with the positive lead on Pin 1 of J-3 and check for plus plus 15 volts.
- 7) Connect the negative lead of the volt meter to Pin 3 of J-3 and check for minus 15 volts.
- 8) Connect the volt meter across the two terminals on the large capacitor on the chassis to read the bus power supply voltage. If the secondary of the transformer is 48 volts, you should read about 65 ± 5 volts DC. If the AC output voltage of the transformer is around 70 volts, you should read about 100 ± 5 volts DC across this capacitor.
- 9) If all the fuses and voltages are proper, it is then advisable to determine if an input signal exists.
 - A) If you are putting command signal into (Aux) Input #1 look at TP-1.
 - B) If signal in (Sig) Input #2 look at TP-2.
 - C) Use TP-Com as common.

CAUTION: DO NOT USE GROUNDED TEST EQUIPMENT (FLOAT SCOPE)

If there is a signal voltage at TP-1 or TP-2 check the output of the velocity control amplifier which can be seen at cathode of diode CR-1.

- 10) If still not functioning, it is advisable to return this unit to the factory for repair, since sophisticated test equipment, which is usually not available in the field, is required to determine the cause of failure. It is very easy to remove the control drive module, simply remove Plugs, and loosen the three screws which hold the module to the chassis. These screws should not be completely removed for ease of installation of a new module.

TYPICAL INSTALLATION AND FIELD PROBLEMS - FAULT CONDITIONS ONLY

Westamp A6531 Series of Drives

<u>PROBLEM DEFINITION</u>	<u>CAUSE</u>	<u>EFFECT</u>	<u>SOLUTION</u>
High bus voltage	Wrong transformer tap Insufficient bus capacitor or regulator sized incorrectly Regulator fuse blown	Fault trip with indication " " "	Correct fault condition, re-set drive. " " "
Excessive surge currents	Either motor line connected to ground Output leads become shorted together before inductor	" "	" "
Excessive current at high motor speeds	Exceeded safe commutation zone of motor & motor arcing probably to case of motor	"	Re-set drive & re-select appropriate current limit.
Excessive RMS current	Duty cycle increased Stalled motor - shorted motor Shorted motor lines System oscillation	Drive will shut down and cycle	Correct fault and drive will operate normally.
Over temperature	Clogged or damaged fan Cabinet temp. too high	Fault trip with indication	Correct fault condition and re-set drive.
Low bus voltage	Power line sag Blown line rectifiers	Reduced output voltage "	Drive still operates. Replace line rectifiers - drive still OK.
Incorrect bias power	Overload on bias supplies or Shorted bias supplies	Drive will shut off with no damage to output transistors	Check reason for overload - correct - then replace bias supply fuse.

TO RE-SET DRIVE:

NOTE: Under all conditions where unit shuts off with light indication, it is necessary to remove bias power, wait approximately 15 seconds, then re-apply power. Drive will re-start if fault condition cleared.

TROUBLE SHOOTING

MULTI AXES DRIVE SECTION ONLY

A6532, 3, 4


These units may show trip indication if any one axis is shorted to ground.


In order to isolate the faulty axis, remove bias power and systematically unplug the ± 15 Volt supply to that axis in question. (Plug J3)


Don't get excited if a couple of axes trip off during this procedure. When you have found the axis that is causing the problem and disconnected its plug J3 all others will function normally.

Go thru the standard trouble shooting section to isolate the fault.

NOTE: If one axis is overtemperature or excessive current flowed, that axis and only that one should show trip indication.







CONCEPTUAL
CONNECTION

FAULT
SENSOR

DATE	REVISED	BY	CHKD
SCHEMATIC CONTROL/DRIVE BOARD			
A6531			
WESIAMR		1000 PAPER	
1042 15TH STREET			
SANTA MONICA, CAL.			

Application Note

Input Line Transient Suppression

On A651 and A653 amplifiers, J1, terminals 6,7 and 8 may be connected to distant switches or other equipment through conduits which also carry noisy wires. Wires which go to contactor coils have been observed to carry transient voltage spikes as high as 1000 volts.

If wires to the above terminals lie close to other wires which have 1000 volt spikes, high voltage spikes can be coupled to terminals 6, 7 or 8 because of stray capacity between the wires. This can break down and destroy certain internal parts of the amplifier.

The best system design procedure would consist of spike prevention at the contactor. One or two parts connected across the contactor coil can not only prevent spike damage to other equipment, but can also greatly extend the life of contacts which energize the contactor.

If wires to J1, terminals 6, 7 or 8 must lie in conduits with other noisy wires, then 0.22 microfarad capacitors should be connected from the above terminals to ground near or at the amplifier. Capacitor voltage ratings should be 100 volts or more.

The 0.22 microfarad capacitor forms a capacitor divider with the stray capacitor to greatly cut down spike voltage induced on input wires.

MULTI-TURN POTENTIOMETERS

Various manufacturers' potentiometers have been used in the amplifier.

Please refer to the following chart:

MANUFACTURER	POT COLOR	NOMINAL # OF TURNS	OVERTRAVEL DEAD-ZONE
Weston	Light Green	12	0
Beckman	Light Gray	20	0
VRN	Dark Green	20	0
Spectrol	Tan	20	4 - 5 Turns

Set-up procedures are often established based on counting the number of turns from the counter clockwise end to the set point. Spectrol potentiometers have a 4 to 5 inactive section at the end.

If your amplifier now has a tan Spectrol pot, you must turn the potentiometer adjustment screw 4 to 5 turns from the counter clockwise end before any resistance change will occur.

If your set-up procedure is based on a potentiometer other than Spectrol, please refer to the following to establish your new number of turns.

NUMBER OF TURNS TO CONVERT SET-UP PROCEDURE FOR VARIOUS POTS.

ORIGINAL POT WAS	NOW-TAN SPECTROL POT
Light Gray Beckman	$T + 4.5$
Light Green Weston	$1.67 \times T + 4.5$
Dark Green VRN	$T + 4.5$


Where T is the number of turns from counter clockwise to the setpoint originally used for the previously supplied potentiometer.

WARRANTY PROVISIONS

WARRANTY-The Seller warrants that the articles to be delivered under this purchase order will be free from defects in material and workmanship under normal use and service. Seller's obligations under this warranty are limited to replacing or repairing, at its option, at its factory, any of said articles which shall within one (1) year after shipment be returned to the Seller's factory of origin, transportation charges prepaid, and which are, after examination, disclosed to the Seller's satisfaction to be thus defective. THIS WARRANTY IS EXPRESSED IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON THE SELLER'S PART AND IT NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR THE SELLER ANY OTHER LIABILITIES IN CONNECTION WITH THE SALE OF THE SAID ARTICLES.

This warranty shall not apply to any of such articles which shall have been repaired or altered, except by Seller, or which shall have been subjected to misuse, negligence, or accident. The aforementioned provisions do not extend the original warranty period of any article which has either been repaired or replaced by Seller.

A653-10 SERIES 40 AMPS/100 VOLTS



2 Axis
unit
shown

Machine productivity can usually be increased by at least a factor of 3 when PWM is compared with an SCR Phase Control.

Better part finish as measured by field results is a direct result of the unique compensation in the unit when compared with the other PWM'S or an SCR Phase Control.

A design is only as good as its protection-think how far you could go if your car did not have any indicators.

The amplifier is protected against the following abnormal conditions:

- 1) Shorts across output before or after inductor
- 2) Shorts to ground
- 3) Loss or low DC Bus power
- 4) Loss or low DC Bias power
- 5) Over Voltage
- 6) Excessive RMS/Peak Current
- 7) System Oscillation
- 8) Over Temperature
- 9) Oil and Grease Resistant

Several factors may enter into what you pay for an item.

PURCHASE PRICE

Very attractive because the product is value engineered.

SPACE SAVING

Compact Multi-Axis Chassis

INSTALLATION TIME

Reduce wiring cost because chassis contains amplifier power supplies & (regulator)

SET UP TIME

Approx 5 minutes per amplifier results from simplified and adjustable compensation, which is capable of covering a wide range of motors.

FIELD SERVICE

Reduced service calls due to protective features.
Reduced service time due to single module amplifier construction.

INVENTORY REDUCTION

Interchangeable complete amplifier modules.


MOTORS

Smaller due to low form factor.

TRANSFORMERS

Smaller due to reactive current flow plus low form factor.

REV	DESCRIPTION	BY	DATE
A	Change F801/F802 to PDR, 5 Amp		4/15/52



NOTE: AMPLIFIER MAX. HEIGHT IS 7"

Model No.	Type	FR-1 F801 and/or F802	MDA	MOB
A6531-10		1 Amp	20 Amp	5 Amp
A6530-10		1 Amp	20 Amp	5 Amp

RECOMMENDED INSTALLATION PROCEDURE

1. CAUTION: Outputs at TB301 must be isolated from all other circuits and must not be grounded.
2. Use shielded wire on signal input leads, connect shield to Signal Common at J1.
3. Output at TB301-4 is (+) w.r.t. TB301-5 when J1-2 is (+) w.r.t. J1-4.
4. Motor frame and Amplifier chassis must be connected to System Ground. Do not ground transformer secondary.


J1 Terminal 6 and 7 can be connected to COM through a resistor to limit current as required. Terminal 6 can be connected to COM to lock out all output. When J1-6 is connected to J1-9 (COM), the amplifier does not respond to (-) signal input. When J1-7 is connected to J1-9 (COM), the amplifier does not respond to (+) signal input.

PART NO	DESCRIPTION	MATERIAL	ITEM
	INSTALLATION DRAWING		
UNLESS OTHERWISE SPECIFIED: TOLERANCES FRACTIONS 1/16" SIZE OR STEPS ARE AMPLIFIED 1/2" UNLESS NOTED OTHERWISE		WESJAMP INCORPORATED 1542 15TH STREET SANTA MONICA, CAL.	
MODEL	A6531	REV	A
DATE	2-14-77	REV NO	29670
DRAWN BY		SHEET 1 OF 2	

© 1984


REV	DESCRIPTION	BY	DATE
A	CHANGE F401 TO 2A1V5 CA	WES JAMP	1/15/53
B	CHANGE F801 TO MCA 3 AMP & F801-F804 TO MCA 5 AMP	WES JAMP	1/15/53

FUSE DATA			
Part	Type	Value	Notes
F401	PM4	1/2	PM4
F801	MCA	3 Amp	MCA
F802	MCA	5 Amp	MCA
F803	MCA	5 Amp	MCA
F804	MCA	5 Amp	MCA



If Terminals 8 and 9 are connected to COM through a resistor to limit current as required. Terminal 8 can be connected to COM to lock out all output. When J-6 is connected to J-9 (COM) the amplifier does not respond to (-) signal inputs. When J-7 is connected to J-9 (COM) the amplifier does not respond to (+) signal inputs.

NOTE: AMPLIFIER MAX. HEIGHT IS 7" $\frac{3}{8}$ " TYP. $\frac{15}{16}$ " TYP. $\frac{9}{16}$ " MAX. $\frac{1}{2}$ " TYP.



- ### RECOMMENDED INSTALLATION PROCEDURE
- CAUTION: Outputs at TB401 must be isolated from all other circuits and must not be grounded.
 - Use shielded wire on signal input leads, connect shield to Signal Common at J1.
 - Output at J1-B401-4 is (+) w.r.t. TB401-3 when J21-2 is (+) w.r.t. J21-4.
 - Motor frame and Amplifier chassis must be connected to System Ground. Do not ground Transformer secondary.

WES JAMP
INCORPORATED
1542 18TH STREET
SANTA MONICA, CALIF.

INSTALLATION DRAWING
A6532


DATE 9-26-57
SCALE

30000 B


▲ INSTALLATION OF AXIS 2 IS TYP FOR BOTH AXES RESPECTIVELY.
NOTES: UNLESS OTHERWISE SPECIFIED

TR	DESCRIPTION	BY	DATE
A	CHANGE F401 TO 2AMP 5A	WJA	8/22
B	Change F401 to MDA 3 Amp & FB01-FB04 to MDA 5 Amp	WJA	11/82


FUSE DATA		
Model No.	F401	FB01-FB04
Type	MDA	MDA
Rating	3 Amp	5 Amp
Part No.	A6534-10	A6535-10



NOTE: AMPLIFIER MAX. HEIGHT IS 7"



Terminal 6 and 7 can be connected to COM through a resistor to limit current as required. Terminal 8 can be connected to COM to lock out all output. When J1-6 is connected to J1-8 (COM), the amplifier does not respond to (-) signal input. When J1-7 is connected to J1-9 (COM), the amplifier does not respond to (+) signal input.



- RECOMMENDED INSTALLATION PROCEDURE**
- CAUTION: Outputs at TB401 must be isolated from all other circuits and must not be grounded.
 - Use shielded wire on signal input leads, connect shield to Signal Common at J1.
 - Output at TB401-8 is (+) w.r.t. TB401-7 when 4J1-2 is (+) w.r.t. 4J1-4.
 - Motor frame and Amplifier chassis must be connected to Systems Ground. Do not ground Transformer secondary.

TEST NO.	DESCRIPTION	MATERIAL	ITEM
	INSTALLATION DRAWING		WESTAMP INCORPORATED
			15-42 15TH STREET
			SANTA MONICA, CAL.
REV	DATE	SCALE	REV
1	2-25-77		29650
			B

INSTALLATION OF AXIS 4 IS TYP FOR ALL AXIS RESPECTIVELY. HOLES: UNLESS OTHERWISE SPECIFIED.